

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : SCREENWASH
Product code : 717
Type of product : Cleaning agent
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use
Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Clover Chemicals Ltd
Clover House Macclesfield Road
SK23 7DQ Whaley Bridge – Derbyshire
United Kingdom
T 01663 733114 - F 01663 733115
info@cloverchemicals.com - www.cloverchemicals.com

Supplier

Christeyns NV
Afrikalaan 182
9000 GENT
Belgium
T +32 (0)9/ 223 38 71 - F +32 (0)9/ 233 03 44
info@christeyns.be - www.christeyns.com

1.4. Emergency telephone number

| Country | Official advisory body | Address | Emergency number | Comment |
|----------------|--|--|--|--------------------------------------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH Birmingham | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226
Eye Irrit. 2 H319

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

CLP Signal word

: Warning

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.
H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P102 - Keep out of reach of children.
P280 - Wear protective gloves, eye protection.
P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.
P241 - Use explosion-proof electrical equipment.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .

SCREENWASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P370+P378 - In case of fire: Use dry extinguishing powder to extinguish.

EUH-statements : EUH208 - Contains Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|---------|---|
| Ethanol substance with national workplace exposure limit(s) (GB) | CAS-no: 64-17-5 Einecs nr: 200-578-6 EG annex nr: 603-002-00-5 REACH-no: 01-2119457610-43 | 10 – 30 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 |
| Isopropanol substance with national workplace exposure limit(s) (GB) | CAS-no: 67-63-0 Einecs nr: 200-661-7 EG annex nr: 603-117-00-0 REACH-no: 01-2119457558-25 | 10 – 30 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |
| Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) | CAS-no: 55965-84-9 Einecs nr: 611-341-5 EG annex nr: 613-167-00-5 REACH-no: 01-2120764691-48 | < 0.1 | Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|--|---|---|
| Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) | CAS-no: 55965-84-9 Einecs nr: 611-341-5 EG annex nr: 613-167-00-5 REACH-no: 01-2120764691-48 | (0.0015 \leq C \leq 100) Skin Sens. 1A, H317 (0.06 \leq C < 0.6) Eye Irrit. 2, H319 (0.06 \leq C < 0.6) Skin Irrit. 2, H315 (0.6 \leq C \leq 100) Eye Dam. 1, H318 (0.6 \leq C \leq 100) Skin Corr. 1C, H314 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

Skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : May cause drowsiness or dizziness.

Acute effects skin : Irritation. Red skin.

SCREENWASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute effects eyes : Causes serious eye irritation. redness, itching, tears.
Acute effects oral route : May cause headache and dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.
Explosion hazard : May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
Hygiene measures : Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed.
Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.
Packaging materials : polyethylene. stainless steel.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Ethanol (64-17-5) | |
|---|---------|
| United Kingdom - Occupational Exposure Limits | |
| Local name | Ethanol |

SCREENWASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Ethanol (64-17-5) | |
|---|---------------------------------------|
| WEL TWA (OEL TWA) [1] | 1920 mg/m ³ |
| WEL TWA (OEL TWA) [2] | 1000 ppm |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |
| Isopropanol (67-63-0) | |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Propan-2-ol |
| WEL TWA (OEL TWA) [1] | 999 mg/m ³ |
| WEL TWA (OEL TWA) [2] | 400 ppm |
| WEL STEL (OEL STEL) | 1250 mg/m ³ |
| WEL STEL (OEL STEL) [ppm] | 500 ppm |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure that there is a suitable ventilation system.

8.2.2. Personal protection equipment

Personal protective equipment:

Protective clothing. Safety glasses. Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. In case of inadequate ventilation wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SCREENWASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--------------------------------|
| Physical state | : Liquid |
| Colour | : Blue. |
| Physical state/form | : Liquid. |
| Odour | : Characteristic. |
| Odour threshold | : Not available |
| Melting point/range | : -20 °C |
| Freezing point | : Not available |
| Boiling point/Boiling range | : 95 °C |
| Flammability | : Flammable liquid and vapour. |
| Explosive limits | : Not available |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : 31 °C |
| Autoignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : 7 |
| Viscosity, kinematic | : Not available |
| Solubility | : Soluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50 °C | : Not available |
| Density | : Not available |
| Relative density | : 0.965 |
| Relative vapour density at 20 °C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 250 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

Ethanol (64-17-5)

| | |
|---------------------------------|------------|
| LC50 Inhalation - Rat (Vapours) | 51 mg/l/4h |
|---------------------------------|------------|

Isopropanol (67-63-0)

| | |
|---------------|--|
| LD50 oral rat | 5840 mg/kg bodyweight (OECD Guideline 401) |
|---------------|--|

SCREENWASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) | |
|--|--|
| LD50 oral rat | 64 mg/kg |
| LD50 dermal rat | 87.12 mg/kg |
| LD50 dermal rabbit | 78 mg/kg |
| LC50 Inhalation - Rat | 0.33 mg/l/4h |
| LC50 Inhalation - Rat (Dust/Mist) | 0.33 mg/l/4h |
| Skin corrosion/irritation | : Not classified pH: 7 |
| Additional information | : Based on available data, the classification criteria are not met |
| Serious eye damage/irritation | : Causes serious eye irritation. pH: 7 |
| Respiratory or skin sensitisation | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Carcinogenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Reproductive toxicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-single exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |

| Ethanol (64-17-5) | |
|------------------------------|--|
| NOAEL (oral, rat) | 1730 mg/kg bodyweight (90d, female) |
| Isopropanol (67-63-0) | |
| STOT-single exposure | May cause drowsiness or dizziness. |
| STOT-repeated exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Aspiration hazard | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Not rapidly degradable

| Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) | |
|--|-------------------------|
| LC50 - Fish [1] | 0.19 mg/l Rainbow trout |
| LC50 - Fish [2] | zonnebaars |
| EC50 - Crustacea [1] | 0.16 mg/l |
| EC50 - Other aquatic organisms [1] | 0.126 mg/l waterflea |
| EC50 - Other aquatic organisms [2] | 0.003 mg/l |

SCREENWASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)

| | |
|----------------------------|--------------------------------------|
| EC50 72h - Algae [1] | 0.027 mg/l |
| ErC50 algae | 0.003 mg/l Skeletonema costatum |
| ErC50 other aquatic plants | 0.018 mg/l selenastrum capricornutum |
| NOEC chronic fish | 0.05 mg/l |
| NOEC chronic crustacea | 0.1 mg/l |
| NOEC chronic algae | 0.0014 mg/l |

12.2. Persistence and degradability

SCREENWASH

| | |
|-------------------------------|---|
| Persistence and degradability | Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. |
|-------------------------------|---|

Ethanol (64-17-5)

| | |
|-------------------------------|----------------|
| Persistence and degradability | Biodegradable. |
|-------------------------------|----------------|

12.3. Bioaccumulative potential

SCREENWASH

| | |
|---------------------------|---------------------|
| Bioaccumulative potential | No bioaccumulation. |
|---------------------------|---------------------|

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)

| | |
|---------|-----|
| Log Pow | 0.4 |
|---------|-----|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

SCREENWASH

| |
|--|
| This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII |
| This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapours are flammable.

Waste / unused products : Avoid release to the environment.

SECTION 14: Transport information




In accordance with ADR / IMDG / IATA

| ADR | IMDG | IATA |
|---|--|--|
| 14.1. UN number or ID number | | |
| UN 1987 | UN 1987 | UN 1987 |
| 14.2. UN proper shipping name | | |
| ALCOHOLS, N.O.S. | ALCOHOLS, N.O.S. | Alcohols, n.o.s. |
| Transport document description | | |
| UN 1987 ALCOHOLS, N.O.S. (Ethanol ; Isopropanol), 3, III, (D/E) | UN 1987 ALCOHOLS, N.O.S. (Ethanol ; Isopropanol), 3, III | UN 1987 Alcohols, n.o.s. (Ethanol ; Isopropanol), 3, III |

SCREENWASH


Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA |
|---|---|---|
| 14.3. Transport hazard class(es) | | |
| 3 | 3 | 3 |
|  |  |  |
| 14.4. Packing group | | |
| III | III | III |
| 14.5. Environmental hazards | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No |
| No supplementary information available | | |

14.6. Special precautions for user

Overland transport

| | |
|---|---|
| Classification code (ADR) | : F1 |
| Special provisions (ADR) | : 274, 601 |
| Limited quantities (ADR) | : 5I |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T4 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP29 |
| Tank code (ADR) | : LGBF |
| Vehicle for tank carriage | : FL |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Special provisions for carriage - Operation (ADR) | : S2 |
| Hazard identification number (Kemler No.) | : 30 |
| Orange plates | :  |
| Tunnel code | : D/E |
| EAC code | : •3YE |

Transport by sea

| | |
|---------------------------------|--------------|
| Special provisions (IMDG) | : 223, 274 |
| Limited quantities (IMDG) | : 5 L |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |

Air transport

| | |
|--|------------|
| PCA Limited quantities (IATA) | : Y344 |
| PCA limited quantity max net quantity (IATA) | : 10L |
| PCA packing instructions (IATA) | : 355 |
| PCA max net quantity (IATA) | : 60L |
| CAO packing instructions (IATA) | : 366 |
| CAO max net quantity (IATA) | : 220L |
| Special provisions (IATA) | : A3, A180 |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SCREENWASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 250 g/l

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

Full text of H- and EUH-statements:

| | |
|---------------------------|--|
| Acute Tox. 2 (Dermal) | Acute toxicity (dermal), Category 2 |
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| EUH208 | Contains Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H336 | May cause drowsiness or dizziness. |

SCREENWASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

| | |
|---------------|--|
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1A | Skin sensitisation, category 1A |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Narcosis |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| | | |
|--------------|------|-----------------------|
| Flam. Liq. 3 | H226 | On basis of test data |
| Eye Irrit. 2 | H319 | Calculation method |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.