

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

BLEACH TABLETS (J918)

Revision date 2016-08-17

I	SECTION 1: I	Identification of	the substance/mixture	e and of the co	mpany/undertaking
ı					

1.1. Product identifier

Product name	BLEACH TABLETS (J918)
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED)
	FOR APPLICABLE USES.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description	Bleaching agent, Industrial cleaning agent, Swimming pool disinfectant.
Describtion	i Dieaching agent, moustral cleaning agent, Swimming bool gishnectant.

1.3. Details of the supplier of the safety data sheet

Company	Assured Solutions Ltd
---------	-----------------------

Address Unit H

Westminster Industrial Estate

Measham Derbyshire DE12 7DS

Web www.assuredsolutionsltd.co.uk

 Telephone
 +44 (0)1530 272922

 Fax
 +44 (0)1530 272921

Email sales@assuredsolutionsltd.co.uk sales@assuredsolutionsltd.co.uk competent person

1.4. Emergency telephone number

Emergency telephone number | 01530 272 922

Company ASSURED SOLUTIONS LTD

24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification -	Xn; R22 Xi; R36/37 N; R50/53 R31
1999/45/EC	Symbols: Xn: Harmful. N: Dangerous for the environment.
Main hazards	Harmful if swallowed. Contact with acids liberates toxic gas. Irritating to eyes and respiratory
	system. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
2.1.2. Classification - EC	EUH031; Acute Tox. 4: H302; Eye Irrit. 2: H319; STOT SE 3: H335; Aquatic Chronic 1: H410;
1272/2008	

2.2. Label elements

Hazard pictograms





Revision 1
Revision date 2016-08-17

2.2. Label elements

Signal Word	Warning			
Hazard Statement	EUH031 - Contact with acids liberates toxic gas.			
	Acute Tox. 4: H302 - Harmful if swallowed.			
	Eye Irrit. 2: H319 - Causes serious eye irritation.			
	STOT SE 3: H335 - May cause respiratory irritation.			
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.			
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.			
Prevention	P264 - Wash hands thoroughly after handling.			
	P270 - Do no eat, drink or smoke when using this product.			
	P271 - Use only outdoors or in a well-ventilated area.			
	P273 - Avoid release to the environment.			
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.			
Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ or /if you feel unwell.			
Response	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
	lenses, if present and easy to do. Continue rinsing.			
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.			
	P330 - Rinse mouth.			
	P337+P313 - If eye irritation persists: Get medical advice/attention.			
	P391 - Collect spillage.			
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.			
Storage	P405 - Store locked up.			
Precautionary Statement:	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES			
Disposal				

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification	M-factor.
				Number	(%w/w)		
Troclosene sodium	613-030-00-X	2893-78-9	220-767-7		60 - 70%	E; R2 O; R8 Xn; R22 Xi;	
						R36/37 R31 N; R50/53	
Adipic acid	607-144-00-9	124-04-9	204-673-3		20 - 30%	Xi; R36	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Troclosene sodium	613-030-00-X	2893-78-9	220-767-7		60 - 70%	EUH031; Ox. Sol. 2: H272;	
						Acute Tox. 4: H302; Eye Irrit.	
						2: H319; STOT SE 3: H335;	
						Aquatic Acute 1: H400;	
						Aquatic Chronic 1: H410;	
Adipic acid	607-144-00-9	124-04-9	204-673-3		20 - 30%	Eye Irrit. 2: H319;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

Revision 1
Revision date 2016-08-17

SECTION 5: Firefighting measures 5.1. Extinguishing media Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam. 5.2. Special hazards arising from the substance or mixture Burning produces irritating, toxic and obnoxious fumes. 5.3. Advice for firefighters Self-contained breathing apparatus. Wear protective clothing. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation of the working area. Wear suitable protective equipment. 6.2. Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe. 6.3. Methods and material for containment and cleaning up Avoid raising dust. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed. SECTION 8: Exposure controls/personal protection DNEL: Derived no-effect level. No data is available on this product. 8.2. Exposure controls 8.2.1. Appropriate engineering Ensure adequate ventilation of the working area. controls 8.2.2. Individual protection Wear chemical protective clothing. measures Eye / face protection Approved safety goggles. Skin protection -Chemical resistant gloves (PVC). Handprotection Respiratory protection Self-contained breathing apparatus. Wear protective clothing. SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Appearance Tablet Colour Off white Odour Characteristic **pH** 2 - 6 Solubility Soluble in water SECTION 10: Stability and reactivity

ChemSoft EH&S

10.2. Chemical stability

Revision

Revision date 2016-08-17

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation Irritating to eyes.

11.1.4. Toxicological Information

Adipic acid	Oral Rat LD50: >5500	Dermal Rabbit LD50: 7940
Troclosene sodium	Oral Rat LD50: 735	Dermal Rabbit LD50: >2000

SECTION 12: Ecological information

12.1. Toxicity

Adipic acid	Daphnia LC50/48h: 46	
Troclosene sodium	Daphnia LC50/48h: 20	Rainbow trout LC50/96h: 22
	Bluegill sunfish LC50/96h: 28	

12.2. Persistence and degradability

Water endangering.

12.3. Bioaccumulative potential

No data is available on this product.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN3077

14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (SODIUM DICHLOROISOCYANURATE ACID SALTS)

14.3. Transport hazard class(es)

ADR/RID	9
Subsidiary risk	-
IMDG	9
Subsidiary risk	-
IATA	9
Subsidiary risk	_

14.4. Packing group

Packing group

14.5. Environmental hazards

Environmental hazards Yes
Marine pollutant Yes

ADR/RID

Revision 1
Revision date 2016-08-17

ADR/RID	
Hazard ID	90
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-F
IATA	
Packing Instruction (Cargo)	956
Maximum quantity	400 kg
Packing Instruction	956
(Passenger)	
Maximum quantity	400 kg

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation.
	,
	Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency,
	amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and
	Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and
	Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC)
	No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006
	concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH),
	establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing
	Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as
	Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and

15.2. Chemical safety assessment

No chemical Safety assessment has been carried out by the supplier.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

2 - 2.1. Classification of the substance or mixture.

2 - 2.1.2. Classification - EC 1272/2008.

2 - Hazard pictograms.

2 - Signal Word.

2000/21/EC.

2 - Precautionary Statement: Prevention.

2 - Precautionary Statement: Response.

12 - 12.1. Toxicity.

15 - Labelling.

15 - Risk phrases.

Text of risk phrases in Section

R2 - Risk of explosion by shock, friction, fire or other sources of ignition.

R8 - Contact with combustible material may cause fire.

R22 - Harmful if swallowed.

R31 - Contact with acids liberates toxic gas.

R36/37 - Irritating to eyes and respiratory system.

R36 - Irritating to eyes.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Text of Hazard Statements in Section 3

EUH031 - Contact with acids liberates toxic gas.

Ox. Sol. 2: H272 - May intensify fire; oxidiser.

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Revision 1
Revision date 2016-08-17

Other information		
	STOT SE 3: H335 - May cause respiratory irritation. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	

